

# Index

- ABI Inform, 33
- academic institutions, 68–69
- Access Innovations, 36, 157, 158, 164, 166, 243, 246
- accidental taxonomists, 55–56
- accidental-taxonomist.com, 412
- acronyms, 95, 111, 112–13
- Active Classification Solutions, 187
- Adlib, 184
- administrative attributes, 103–4
- administrative metadata, 16, 17
- Adobe Lightroom, 30
- advanced search, 310
- advertising services, 66–67
- agencies, information, 67
- AGROVOC Thesaurus, 180, 375–76, 381
- AIIM (Association for Information and Image Management International), 403, 406
  - a.k.a. software, 186
- ALA (American Libraries Association), 403, 405–6
- AlchemyLanguage API, 84
- all topics, 264–68
- all/some rule, 120, 125
- alphabetical displays, 285–88
- alpha-numeric classification systems, 8–9
- alternate labels, 108, 139
- Amazon.com, 23, 24, 304
- ambiguity, 101, 132–34
- American Libraries Association (ALA), 403, 405–6
- American Library Association Subject Headings, 32
- American National Standards Institute. *See* ANSI/NISO
- American Society for Indexing (ASI), 92, 397, 402, 404, 408
- analytics, 169, 326. *See also* text analytics
- ANSI/NISO Z39.19, 10, 150
  - and auto-generated taxonomies, 239
  - on software, 151
  - software compliance with, 149–150, 153, 159, 171, 172, 173
  - on term format, 93–95
  - on term relationships, 133
- antonyms, 111, 113
- archive management software, 183–84
- Arnold, Steve, 39
- ASIS&T (Association of Information Science & Technology), 405, 409
- Aspire, 241
- Association for Computing Machinery, 2
- Association for Information and Image Management International (AIIM), 403
- Association for Information Science and Technology (ASIS&T), 405, 409
- associative relationships, 10, 11, 105, 126–32, 135–36
  - across different hierarchies, 127–29
  - ambiguities, 132–34
  - compared to hierarchical relationships, 126
  - how many to create, 130–32
  - and indexers, 202–3
  - for member-organization relationships, 133
  - within the same hierarchy, 129–30
  - semantic, 137–38
  - and taxonomies, 254
  - types of, 128
- Astia Descriptors*, 33
- asymmetrical relationships, 106, 109, 119, 135
- Attensity, 241
- attributes, 102–4
- attribution statements, 31
- audit, content, 82–83, 334–36
- authority control, 194
- authority files, 4, 19, 20, 92, 105, 204–5, 261, 279.
  - See also* controlled vocabularies
- authorized headings, 20. *See also* preferred terms
- authorized term, 79
- auto-categorization, 156–57, 221, 226–27, 229–39
  - comparison of methods, 236–38
  - software, 239–51
- auto-classification. *See* auto-categorization
- automated indexing, 221–56
  - creating taxonomies for, 251–56
  - different approaches to, 226–27
  - nonpreferred terms for, 253–54
  - precoordination, 252–53
  - and relationships, 254
  - technologies, 226–39
  - terms for, 252–53
  - when to use, 222–23
- Axiell Group, 184
- BA Insight, 242
- back-of-the-book indexing, 197, 227
- BASIS, 34
- Battelle Columbus Laboratory, 36
- Berners-Lee, Tim, 374
- BiblioTech, 34, 36, 141
- big data, 222
- Blackaby, James R., 69
- bookmarking, social, 216
- Boolean searching, 97–98, 234
- breadcrumb trail, 297, 306
- British Standards Institute, 10
- broader terms (BT), 11, 119–23
  - “all” uses of, 264–65
  - “general” usage of, 265–66
  - “other” usage of, 266–68
- BTI/NTI (broader term instance/narrower term instance), 122
- BT/NT (broader term/narrower term), 10, 106, 136
- BT/NTG (broader term/narrower term generic), 119–20
- BTP/NTP (broader term partitive/narrower term partitive), 123
- Building Enterprise Taxonomies* (Stewart), 315–16, 336
- business analytics, 169
- Buzzillions, 306–7
- candidate terms, 87, 213, 214
- Card Sorting* (Spencer), 342
- card-sorting exercises, 340–42

- Carnegie Museum of Art, 273  
 catalog by example, 230  
 cataloging, 32–33, 44–46, 193–95  
 categories, 6, 80, 105, 230, 280–82, 295, 328  
 Cengage Learning, 5, 20, 29, 33, 39, 206  
 centered headings, 206  
 Chemical Abstracts, 20, 33  
*Chemical Engineering Thesaurus*, 33  
 child terms, 120  
 classes. *See* categories  
 Classification Server (Semaphore), 171, 250–51  
 classification systems, 8–9, 105  
 classifying, 193–95  
 ClickTale, 326  
 click-trail reports, 325–26  
 Clicky, 326  
 ClinicalTrials.gov, 310, 311  
 closed indexing, 197  
 cluster, 78  
 Cmap, 147  
 CMSWire's DXSummit, 410  
 Coco Systems Ltd., 147  
 Cogito Taxonomy Studio, 244–46  
 Cognatrix, 160  
 Colon Classification system, 270–71  
 Comstow Information Services, 34, 36  
 concept modeling software, 143–44, 147–49  
 concept-based information extraction, 228  
 concepts  
   and content, 81–84, 91  
   defined, 78  
   evaluating inclusion of, 86–87  
   identifying, 80–87  
   and indexers, 208  
   overview, 77–80  
   people as source of, 84–85  
   subordination among, 119  
 conceptSearching, 242–43  
 conferences, 404–7  
 consistency, 88, 89, 263  
 consultants, 67, 392–94  
 content  
   and concept choice, 91  
   as source of concepts, 81–84  
   structured, 223  
   taxonomy, 319–20  
   unstructured, 223, 227  
 Content Annotation Manager (Mondeca), 166, 247–48  
 content audit/inventory, 82–83, 334–36  
 content management, 46–48, 185  
 content repository, 16  
 contractors, 198, 391–97  
 controlled vocabularies, 3–5, 33, 118–19, 207, 278. *See also* authority files  
   defining feature of, 17  
   and descriptive metadata, 16–17  
   and equivalence relationships, 105  
   free, 31  
   and indexers, 51  
   for indexing support, 19–22  
   objective of, 3  
   public, 92  
   searching, 225  
   in thesauri display, 287–88  
   used as source for preferred term choice, 92  
   visibility of nonpreferred terms in, 115  
 Coreon, 158, 163–64  
 cross-references, 4, 77, 107, 126  
 crosswalks, 369  
 CSV format, 350  
 Cuadra STAR, 141  
 cultural sensitivity, 88, 378–79  
 DAM (digital asset management), 48  
 DAM (Data Asset Management) Conference, 407  
 Daniel, Ron, 36  
 data extraction, 227  
 Data Harmony, 352, 354  
   MAIstro, 164, 246–47  
   Thesaurus Master, 36, 158, 159, 163, 164–66  
 database  
   indexing, 197  
   management software, 49, 187  
   record, 79  
   vendors, 66  
 Department of Defense, U.S., 33  
 descriptive attributes, 102–3  
 descriptive metadata, 16–17  
 descriptor, 79  
 Dewey Decimal classification system, 8, 258, 270  
 Dialog, 33  
 digital asset management (DAM), 48  
 Diltz, Margot, 319  
 directional relationships, 119, 135  
 DIRKS (Designing and Implementing Records Keeping System), 186  
 discussion groups, online, 410–11  
 display  
   faceted search, 306–9  
   hierarchical taxonomy, 294–305  
   taxonomy, 283–313  
   thesauri, 284–94  
 distinct vocabularies, 204–5  
 document management software, 185  
 Document Strategy Forum, 410  
 documentation, 345–46  
 Dublin Core Metadata Elements, 16, 351  
 DX Summit, 410  
 Earley, Seth, 35, 36–37  
 Earley Information Science, 34–35, 177  
 EBIC (European Business Information Conference), 38  
 EBSCO, 5, 20, 33  
 e-commerce, 67  
 education, taxonomists, 389–407  
 end users. *See* users  
 Endeca Information Discovery, 241  
 enterprise content, 185, 223  
 Enterprise Content Categorization (SAS), 169, 249–50  
 enterprise folksonomies, 218–19  
 Enterprise Search & Discovery and SharePoint Symposium, 409  
 enterprise search engines, 23

- enterprise taxonomies, 27, 64–65, 91, 275–76, 329–36  
 characteristics of, 330–32  
 content audits, 334–36  
 growth of, 35–39  
 scope of, 331–32  
 stakeholders, 331
- entity, 78
- entity extraction, 228–29
- equivalence relationships, 10, 105  
 importance in merging taxonomies, 365  
 and mapping, 370  
 and nonpreferred terms, 106–18  
 semantic, 138–39
- ERIC (Education Resources Information Center)  
 Thesaurus, 12, 21, 293
- ESTeam AB, 163
- Exalead, 241
- Excel, 82, 144, 145–47, 350
- exchange, taxonomy, 349–57
- expandable tree hierarchy, 298–300, 300–301
- Expert System, 243, 244
- extraction tools, online, 84
- facet indicators, 268, 269, 270
- faceted browse systems. *See* faceted taxonomies
- faceted search, 306–9
- faceted taxonomies, 7–8, 90, 226  
 building, 337–38  
 enterprise, 330–31  
 integrating, 363  
 and precoordination, 98  
 used for retrieval support, 23–25
- facets, 23–24, 270–77, 306–9
- fielded search, 271, 305–12
- fivefilters.org, 84
- flat format display, 287–88
- Florida Institute for Human & Machine  
 Cognition, 147
- fly-out subcategory lists display, 300, 301
- folk taxonomy, 216
- folksonomies, 215–19
- Food.com, 272
- foreign language terms, 111, 112
- freelancing, 198, 394–97
- FreeMind, 147, 148
- free-text searching, 224
- Gale, 5, 20, 29, 33, 39, 206
- Gale Business Collection online, 310–12
- GATE (General Architecture for Text  
 Engineering), 251
- general topics, 264–68
- generic posting, 114
- generic-specific relationships, 121, 124
- geographic hierarchy, 259
- geospatial classification, 6
- Getty Art & Architecture Thesaurus, 12, 29
- Getty Research Institute, 21, 28–29
- Getty Thesaurus of Geographic Names, 29, 31
- Gilbane Conference, 410
- governance, taxonomy, 344–46, 379. *See also*  
 maintenance, taxonomy
- government agencies, 65
- Graef, Jean, 32, 35, 49–50
- Grohe, Allan, 55
- Gruber, Tom, 13
- Guidelines for the Construction, Format,  
 and Management of Monolingual  
 Controlled Vocabularies*, 10, 93
- Heyman, Marti, 54
- hidden labels, 139
- hierarchical displays, 288–92, 295–301, 302–3
- hierarchical relationships, 10, 105, 118–26  
 ambiguities, 132–34  
 and automated indexing, 254  
 compared with thesauri, 11–12  
 semantic, 136  
 types of, 121–24
- hierarchical taxonomies, 5–9  
 and auto-categorization, 227  
 basic steps for creating, 337–38  
 differences from thesauri, 284  
 displays, 294–305  
 integrating, 363  
 recursive retrieval, 305  
 terms, 295
- hierarchies, 6, 257–69  
 arrangements of, 258–62  
 depth and breadth of, 262–64  
 examples, 257–58  
 and facets, 275–77  
 named entities in, 261–62
- Hlava, Marjorie, 158
- Hodge, Gail, 2
- homographs, 94
- HP, 241
- HTML, 351
- human indexing, 193–219, 254, 255  
 what it is, 193–200  
 when to use, 199–200
- H.W. Wilson Company, 33
- IA Institute, 409
- IBM Content Classification, 241
- IBM Watson Explorer, 241
- IDOL, 241
- IMS (Indexing Management System), 173
- indexers, 197–99, 200–202, 212.
- indexing, 32–33, 61–62.  
 automated (*See* automated indexing)  
 as background for taxonomists, 51–52  
 human (*See* human indexing)  
 kinds of, 193  
 software, 190–91  
 structured, 206–7  
 with a taxonomy, 19–22, 195–97
- indexing taxonomy, 370, 372–73
- individuals, 13, 78
- inferencing, 13
- information  
 extraction, 226–29  
 gathering, 80–81  
 providers, 66  
 technology, 48–50

## 460 The Accidental Taxonomist

- Information Access Company, 33  
information architecture, 52–53  
*Information Architecture for the World Wide Web* (Rosenfeld), 35, 271  
Information Architecture Institute, 26, 216  
Information Architecture (IA) Summit, 405  
information science, 398–402  
InfoSphere Master Data Management, 187  
InfoTrac, 39, 206  
Inmagic, 34  
instance, 13, 78, 122  
instance relationships, 121, 136  
Integrated Public Sector Vocabulary (IPSV), 28, 240  
Intelligent Topic Manager (Mondeca), 163, 166–67  
Intellisophic, 36  
International Association for Ontology and Its Applications, 15  
International Organization for Standardization. *See* ISO  
International Semantic Web Conference (ISWC), 406  
interoperability, taxonomy, 349–57, 364  
interviews, stakeholder, 332–34  
inventory, content, 82–83, 334–36  
inversions, phrase, 95, 111, 113  
“is a” test, 122, 132  
ISO (International Organization for Standardization), 356  
ISO 2788, 33  
ISO 15489, 150, 186  
ISO 25964, 10, 150  
    on exchange formats, 356  
    on mapping vocabularies, 373  
    on software, 151  
    software compliance with, 149–150, 153, 169, 170–171, 173, 186  
ISO 30042, 163  
ISWC (International Semantic Web Conference), 406  
iWebTrack, 326  
  
Kelly Blue Book, 273  
keywords, 29–30, 107, 114, 116–17, 194, 213, 214, 215  
KMWorld, 406–7, 409  
knowledge management, 46–48  
Knowledge Management System (KMS), 173–74  
knowledge organization system/structure (KOS), 1–3, 150  
Kouloupoulos, Tom, 38  
KWIC/KWOC index, 292  
  
labels, 27, 139. *See also* node labels  
Lambe, Patrick, 43, 47, 62, 271, 315  
LCSH (Library of Congress Subject Headings), 8, 20, 21, 28, 32–33, 68–69, 92, 206, 361  
Leise, Fred, 35  
Lexalytics, 241  
lexical variants, 111  
LGOSystems Pty. Ltd., 160  
libraries, 68–69  
    management software, 183–84  
  
Library of Congress  
    Name Authorities, 92  
    Subject Headings (*See* LCSH Library of Congress Subject Headings)  
    Thesaurus for Graphic Materials, 28, 92  
library science, 44–46, 398–402  
license, 28–32  
linked data taxonomies, 374–75  
Linked Open Data (LOD), 31  
LinkedIn, 410–11  
Linnaean taxonomy, 6, 258  
localization, 378  
LOD (Linked Open Data), 31  
Lotus Notes, 35  
Lucidea Corp., 34, 172  
Luhn, Peter, 33  
Luxid WebStudio, 246  
Lynda.com, 301  
  
machine-learning systems, 230–33, 236–38  
maintenance, taxonomy, 209–19, 344, 357–60, 379. *See also* governance  
MAIstro (Data Harmony), 164, 246–47  
mapping, 369–73, 377  
mapping tables, 23  
MARC (Machine-Readable Cataloging), 16, 351  
McGlamery, Barbara, 55  
*Measuring the User Experience* (Tullis), 341  
media industry, 65–66  
Medical Subject Headings (MESH), 20–22, 28, 31  
membership organizations, 68  
merging, 364–69, 370–71  
MeSH (Medical Subject Headings), 20–22, 28, 31  
metadata, 15–18, 45, 62, 84  
Metalogix, 84  
Microbial Life Education Resources, 24–25, 115  
Microsoft SharePoint, 84, 158, 159, 187–90, 409  
mind mapping software, 143–44, 147–49  
Mindbreeze, 241  
Mindjet, 147  
MindManager, 147  
MLIS or MLS, 44–46, 398–402  
Mondeca, 354  
    Content Annotation Manager, 166, 247–48  
    Intelligent Topic Manager (ITM), 163, 166–67  
Montague Institute, 32, 38, 49  
Morante, Marcia, 38, 50  
Morville, Peter, 35, 271  
Moulton, Lynda, 34, 37, 185  
multilingual taxonomies, 375–81  
multiple broader terms (MBT), 124  
MultiTes, 36, 158, 160–62, 280, 282, 351, 380  
museums, 68–69  
MyFlorida.com, 27  
  
NAICS (North American Industrial Classification Systems), 8, 258  
named entities, 4, 122, 261–62, 279  
narrower terms (NT), 11, 111, 113–15, 119–20  
NASA Thesaurus, 12, 354, 355

- National Archives and Records Administration, 186
- National Centre for Text Mining, 84
- National Information Standards Organization (NISO), 16, 356–57. *See also* ANSI/NISO Z39.19
- National Library of Medicine, US, 20
- natural language processing, 227
- navigational taxonomies, 26–27
- near synonyms, 89–90, 110–12
- nested categories, 6
- NetOwl, 228
- Networked Knowledge Organization Systems Working Group, 2
- networking, 409–11
- newspapers, 92
- NISO (National Information Standards Organization), 16, 356–57. *See also* ANSI/NISO Z39.19
- node, 78
- node labels, 260, 268–69, 303–5
- node name, 79
- nondescriptors, 79
- nonpreferred terms, 6, 20, 22, 77, 78, 358
  - in alphabetical displays, 286
  - for automated indexing, 253–54
  - defined, 79
  - differentiation between, 138–39
  - and equivalence relationships, 106–18
  - how many to create, 115–18
  - for indexers, 200–202
  - and keywords, 116–17
  - relation to preferred terms, 87
  - and spreadsheet software, 144–45
  - style and format, 108
  - in taxonomies, 226
  - types of, 110–15
- nonprofit organizations, 66, 68
- nonrecursive retrieval, 265. *See also* recursive retrieval
- North American Industrial Classification System (NAICS), 8, 258
- North Carolina State University Libraries, 308–9
- notes, 99–102, 203–4
  
- object, 78
- One-2-One software, 187
- one-level-per screen display, 295–97, 300, 301
- online discussion groups, 410–11
- online marketing services, 66–67
- ontologies, 13–15
  - and associative relationships, 105
  - designers, 50
  - and semantic relationships, 134
  - software, 143–44, 147–49, 157, 182
- Ontology Editor (Semaphore), 170–72
- Ontology Management (SAS), 169–70
- Ontology Master, 166
- Ontology Publishing Suite, 159
- Open Data Commons Attribution License, 31
- Open Directory Project, 258, 295
- open indexing, 197
- OpenText, 34, 243
- OpenText Content Analytics (OTCA), 248–49
- OptimalSort, 341, 342
- Oracle, 187, 241
- Organising Knowledge* (Lambe), 47, 271, 315
- orphan terms, 106, 153
- other topics, 264–68
- output, thesaurus, 284–94
- OWL (Web Ontology Language), 14, 159, 353–55
  
- parent terms, 120
- parenthetical qualifiers, 94–95
- permuted index, 292
- photography, 29–30
- phrase variations, 95, 111, 113
- political correctness, 88
- polyhierarchies, 6, 12, 124–26, 258, 260
  - and automated indexing, 254
  - and facets, 275
- PoolParty
  - Power Tagging, 249
  - Thesaurus Server, 158, 159, 163, 167–69, 243, 354
- postcoordination, 97–98, 270, 275
- precoordination, 95–99, 110, 206, 252–53, 270
- preferred terms, 20, 77, 78, 358
  - choosing, 87–93
  - defined, 79
  - for indexers, 200–202
  - and nonpreferred terms, 109
  - other names for, 79
  - sources for, 90–92, 92–93
- professional associations, 66, 402–3, 407–9
- proper nouns, 4, 122, 261–62, 279
- ProQuest, 5, 20, 33
- Protégé, 149, 182–83, 354
- PsychINFO, 20
- publishers, 65–66
  
- quality control, taxonomies, 209–19
- quasi-synonyms, 89–90, 110–12
  
- Ranganathan, S.R., 270
- RDF, 159, 353–55
- Readers' Guide to Periodical Literature, 206
- Real-World Taxonomy, 410–11
- records management software, 150, 185–87
- recursive retrieval, 12, 120, 260, 264–68, 305
- Redmond-Neal, Alice, 246
- related term relationships. *See* associative relationships
- relationships
  - for automated indexing, 254
  - creating, 105–39
  - customized, 134–35, 137
  - entity, 261
  - multiple use, 110
  - semantic variations for, 134–39
  - between terms, 202–3
  - types of, 105
- relevance ranking, 224

## 462 The Accidental Taxonomist

- research, 323–26
- resources, project, 320–21
- retailers, 67
- retrieval, 12, 22–25, 120, 260, 264–68, 305
- retrieval taxonomy, 370, 372–73
- Revised Nomenclature for Museum Cataloging* (Blackaby), 69
- revisions, taxonomy, 360–61
- Rodgers, Marie, 410
- rolled up retrieval, 264–68
- Rosenfeld, Louis, 35, 271
- rotated index, 292
- RT (related term), 106
- rules-based systems, 230, 233–36, 236–38
  
- SaaS (software-as-a-service), 158
- Saliency, 241
- SAS, 243, 354
  - Enterprise Content Categorization, 169, 249–50
  - Ontology Management, 169–70
  - Text Analytics, 250
- Scheid, Eric, 216
- schema, 350
- scientific names, 111
- scope, taxonomy, 320, 331–32
- scope notes (SN), 10, 13, 19, 99–102, 154, 203–4
- search engines, 23, 221, 223–24
- search logs, 325–26, 332
- search software, 190–91
- Search Technologies, 241
- Sears List of Subject Headings, 32, 68–69
- second-level indexing, 206, 252
- See/See also references, 4, 77, 107, 126
- semantic clustering, 230
- semantic network, 14, 105
- semantic relationships, 13–14, 134–39
- semantic rules, 234
- Semantic Search, 166
- Semantic Turkey, 180
- Semantic Web, 108, 150, 158, 159, 215, 249, 353
- Semantic Web Company, 167, 243, 249
- Semaphore, 158, 163, 352, 354
  - Classification Server, 171, 250–51
  - Ontology Editor, 170–72
- SharePoint, 84, 158, 159, 187–90, 409
- Shoebuy.com, 24, 115
- sibling terms, 120, 127, 129
- SIC (Standard Industrial Classification system), 8, 258
- Simple Knowledge Organization System. *See* SKOS (Simple Knowledge Organization System)
- SimplyHired.com, 272
- site maps, 26
- SKOS (Simple Knowledge Organization System), 3, 108, 159, 353–55
  - and mapping relationships, 373
  - and multilingual vocabularies, 380
  - and nonpreferred terms, 139
  - and taxonomy management software, 150
- SLA (Special Libraries Association), 403, 404, 408–9
- smart searching, 117
- Smartlogic Semaphore, 163, 170, 243, 250, 352
- social networking, 410–11
- social tagging, 215–18. *See also* folksonomies
- software
  - analytics, 326
    - for auto-categorization, 156–57, 239–51
    - automated indexing and search, 190–91
    - card-sorting, 341–42
    - compliance standards, 149–51
    - concept modeling, 147–49
    - content management, 185
    - data management, 49, 187
    - dedicated taxonomy management, 149–59
    - free, 178–83
    - library and archive management, 183–84
    - mind mapping, 147–49
    - multilingual taxonomies, 379–81
    - multiuser taxonomy management, 162–78
    - not designed for creating taxonomies, 143–49
    - ontology, 147–49, 157
    - open source, 178–83
    - records management, 150, 185–87
    - resources, 156–57
    - search, 223–26
    - single-user desktop thesaurus, 159–62
    - spreadsheet, 143, 144–47
    - for taxonomy creation and management, 141–92
    - taxonomy management, 35–36, 67–68
    - with taxonomy management components, 183–91
    - taxonomy management/auto-configuration, 243–51
    - thesaurus management, 151–56
    - trends in taxonomy, 157–59
  - software-as-a-service (SaaS), 158
  - sort order options, 302–3
  - SourceForge, 147
- Soutron
  - Global, 184
  - THESAURUS, 163
- Special Libraries Association (SLA), 403, 404, 408–9
- spelling, 111, 112
- Spencer, Donna, 342
- spreadsheets, 82, 144–47
- SPTechCon, 407
- stakeholders, 317, 324–25, 331, 332–34, 340
- Standard Industrial Classification (SIC), 8, 258
- STAR/Thesaurus, 163, 172–73
- statistical clustering, 230, 238
- Stewart, Darin, 315–16, 336
- structural metadata, 16, 17
- structured content, 223
- structured indexing, 206–7, 252–53
- structures, taxonomy, 257–82, 327–28
- style guide, editorial, 346
- subdivisions, 206–7, 252–53
- subentries, 206
- subheadings, 206
- subject descriptor, 79, 312
- subject matter experts, 53–55, 58–59, 85, 91

- subjects, 80, 295
- subordinate concepts, 119
- SuperPages, 23, 296
- Sydney PLUS, 172
- symmetrical relationships, 106, 126, 135–36
- Synapse Corp., 36, 38
- Synaptica LLC, 29, 35, 36, 38, 157, 158, 159, 163, 173, 280, 352, 354, 380
  - Text Analytics & Auto Classification System, 251
- Synercon Group, 186
- synonym rings, 4, 5, 23, 77, 225–26, 227
- synonyms, 9, 87–90, 107, 110, 111
- synset, 4, 23, 77. *See also* synonym rings
- systems, 133–34
  
- tagging, 29, 193–95, 215–18, 221
- tags, 350–51
- TaxoBank, 157, 159–60
- taxon, 78
- taxonomies.
  - applications, 18–28
  - and associative relationships, 128, 254
  - automated generation of, 238–39
  - and automated indexing, 221–56
  - card-sorting exercises, 340–42
  - in cataloging and indexing, 32–33
  - combining, 361–75
  - content, 319–20
  - corporate, 34–35
  - creating, 61, 336–44
  - defined, 1–15
  - design, 326–29
  - differences between human and automated indexing, 255–56
  - differences from folksonomies, 217
  - displays, 207–9, 283–313
  - documentation, 345–46
  - enterprise (*See* enterprise taxonomies)
  - evolution, 349–81
  - exchange and interoperability, 349–57
  - faceted (*See* faceted taxonomies)
  - governance, 344–46, 379
  - hierarchical (*See* hierarchical taxonomies)
  - history of, 32–39
  - and human indexing, 193–219, 255
  - implementation, 349–81
  - improvements to, 212–13
  - and indexing, 19–22, 61–62, 195–97
  - integrating, 362–64
  - interoperability, 349–57, 364
  - for license, 28–32
  - linked data, 374–75
  - maintenance of, 144, 344–45, 357–60, 379
  - mapping, 369–73
  - merging, 364–69, 370–71
  - and metadata, 15–18
  - multilingual, 375–81
  - organizing, 277
  - planning, 315, 316–29
  - project questions, 317–23
  - public, 92
  - purpose, 18–28, 318
  - quality control, 209–19
  - research for, 323–26
  - resources for, 320–21
  - as retrieval support, 22–25
  - revising, 360–61
  - scope, 320
  - software, 35–36, 141–92, 223–26, 239–43
  - stakeholders, 317, 324–25
  - structure and indexing interface, 204–9
  - structures, 257–82
  - testing, 61, 340, 342–44
  - translating, 377–78
  - updating, 209–19, 345, 357–61
  - used as source for preferred term choice, 92
  - used for organization and navigation support, 25–28
  - users, 318–19
  - and vocabulary files, 277–80
  - vocabulary management, 213–15
  - web, 35–39
  - web resources, 411–12
  - what they are, 1–41
- taxonomists.
  - accidental, 55–56
  - backgrounds of, 44–56
  - challenges, 387–89
  - characteristics of, 43
  - as consultants, 392–94
  - as contractors, 391–97
  - education and training, 398–407
  - employment, 62–76, 389–91
  - freelance, 394–97
  - job titles, 69–76
  - nature of work, 383–91
  - necessary skills, 57–60
  - networking opportunities, 409–12
  - number working on project, 328–29
  - professional associations, 402–3, 407–9
  - professionals, 383–412
  - related duties, 60–62
  - web resources, 411–12
  - where they work, 63–69
  - who they are, 43–76
  - workshops and conferences, 404–7
- Taxonomy Boot Camp, 406, 409
- Taxonomy Community of Practice, 410
- Taxonomy Warehouse, 29, 30, 38, 157
- Taylor, Mike, 352
- TCS, 36
- TechLib, 34, 36, 141
- technical names, 111
- TemaTres, 158, 178–80
- Term Extraction, 84
- term notes, 99–102, 203–4
- term record, 79
- TermTree, 36
- TermBase eXchange (TBX), 163
- TerMine, 84
- Terminology Extraction, 84
- terms, 230, 328
  - for automated indexing, 252–53
  - creating, 77–104

## 464 The Accidental Taxonomist

- format, 93–95
- in hierarchical taxonomies, 295
- overview, 77–80
- precoordinated, 95–99
- relationships between, 202–3
- testing, taxonomy, 61, 340, 342–44
- text analytics, 49, 83–84, 169, 225, 227–29, 238
- text mining, 227
- TheBrain, 147
- thesauri, 9–13
  - and associative relationships, 105
  - building, 338–40
  - compared with hierarchical taxonomies, 11–12, 284
  - displays, 284–94
  - examples of, 12–13
  - formats, 285
  - and hierarchical relationships, 105
  - and human indexing, 254
  - outputs, 284–94
  - software, 151–56, 159–62
  - standards and exchange formats, 355–57
  - types of relationships in, 10
- Thesaurus Management System (Oracle), 187
- Thesaurus Master (Data Harmony), 36, 158, 159, 163, 164–66
- ThManager, 181–82
- TopBraid
  - Composer, 149
  - EVN (Enterprise Vocabulary Net), 158, 159, 163, 174–76, 354
- Topic Maps, 14
- topical scope designators, 206
- topics, 80
- TopQuadrant, 149, 174–75
- training
  - indexers, 212
  - taxonomists, 398–407
- Translated Labs, 84
- translations, 377–78
- tree structures. *See* hierarchies
- UNESCO, 33
  - Thesaurus, 92
- Union List of Artist Names, 29
- unstructured content, 223, 227
- updates, taxonomies, 209–19, 357–61. *See also* maintenance, taxonomy
- upward posting, 114, 371
- USA Today Content Tree, 299
- USDA National Agricultural Library Thesaurus, 28, 294
- user experience design, 52–53
- user interface design, 263
- user testing, 260
- User Zoom Card Sorting, 341
- users
  - enterprise taxonomies, 331
  - expectations of, 89, 263
  - interviewing, 333–34
  - and nonpreferred terms, 117–18
  - and preferred term choices, 91
  - as source of ideas for taxonomy concepts, 85
  - taxonomies, 283–84, 318–19, 328
  - thesauri, 292–94
- USE/UF (use/used for), 10, 106, 109–10
- validation, taxonomy, 342–44
- Vander Wal, Thomas, 216
- variant spellings, 111, 112
- vendors, taxonomy, 67–68
- Verizon SuperPages, 23
- VisiMap, 147
- Vivisimo, 241
- vocabularies
  - controlled (*See* controlled vocabularies)
  - distinct, 204–5
  - taxonomy, 277–80
- vocabulary management software, 153
- VocBench, 158, 180–81, 374
- W3C (World Wide Web Consortium), 14, 150, 159, 355, 374
- WAND Inc., 29, 36
- Web 3.0, 215
- web content management, 185
- Web Ontology Language (OWL), 14, 159, 353–55
- web taxonomies, 35–39
- WebChoir, 36
- website navigation labels, 27
- WebStudio, 245
- Wessely, Jim, 49
- whole-part relationships, 121, 122–23, 124, 133, 136
- Will, Leonard D., 157
- Willpower Thesaurus software, 157, 159–60
- Wordmap, 36, 158, 163, 177–78, 365
- wordset, 78
- workshops
  - stakeholders, 333
  - taxonomy, 404–7
- World Wide Web Consortium (W3C), 14, 150, 159, 355, 374
- XMind, 147
- XML, 30, 350–51
- Yahoo!
  - Directory of the Web, 295
  - Groups, 410
  - Taxonomy Community of Practice group, 62
- Yancey, Trish, 35
- Zthes, 352–53