

Index

- A-B testing, 349–350
abbreviations in printed thesauri, 127–128
ABI/INFORM, 39
abilities and skills of taxonomists, 66–71
academic institutions, 77
Access Innovations
 Data Harmony software, 42, 179–180, 240
 TaxoBank, 177, 455
accidental taxonomists, 59–61
accuracy of manual tagging, 201
acronyms, 110, 114
adaptability of taxonomists, 69–70
administrative attributes of concepts, 174–175
administrative metadata, 19
advanced (fielded) search, 270, 309, 313–316
AGROVOC Thesaurus, 187, 387
AIIM, 452, 457
Airtable, 157
a.k.a. software, 166
all/some rule, 129–130, 137
alphabetical displays, 289–294, 308
alternative labels
 for auto-categorization, 252–253
 in controlled vocabularies, 5
 customized, 149–150
 display of, 318–320
 for manual tagging, 205–207
 in merging concepts, 367, 375
 number of, 117–120
 purpose and format, 110–112
 vs. synonyms, 111
 in thesauri, 10–11, 14
 types of, 112–116
 updating taxonomies and, 367, 369
ambiguity
 in hierarchical relationships, 134–136
 label wording and, 109, 110
American Society for Indexing (ASI), 457
analytical skills, 67
ANSI/NISO Z39.19
 label format guidelines, 107–108
 on relationships, 130–131, 138
 vs. SKOS, 170
 software compliance with, 169–170, 171, 172
 taxonomy definition in, 9
 thesaurus definition in, 14
antonyms, 115
APIs (application programming interfaces), 162, 174, 180, 181, 193, 359
Artificial Intelligence Research Group, 187, 420
ASI (American Society for Indexing), 457
ASIS&T (Association for Information Science & Technology), 452, 457
associative relationships, 125, 126, 138
 abbreviations for, 127–128
 across different hierarchies, 139–141
 for auto-categorization, 253–254
 manual tagging and, 207–208
 number of, 142–144
 within same hierarchy, 141–142
 reciprocity of, 127
semantic, 146–148
testing for validity, 143
types of, 140
asymmetrical relationships, 127, 128–129, 145–146
attributes, 122–123
 administrative, taxonomy concept, 173, 174–175
 for faceted search, 277–279
 in ontologies, 397–398, 399–400, 412–414
audience considerations, 102–103, 260–261, 263, 327–328
Australian and New Zealand Society of Indexers, 457
authority files, 8–9. *See also* controlled vocabularies
authorized term, 89
auto-categorization
 categories vs. concepts in, 229
 comparison of methods, 236–238
 machine learning-based, 230–233
 rules-based, 233–236
 software for, 167, 176, 239–250
 taxonomy auto-generation in, 238–239
 taxonomy creation for, 251–255
 testing, 351
auto-classification. *See* auto-categorization
automated indexing. *See also* auto-categorization
 approaches to, 226–227
 meaning of, 223–224
 in SharePoint, 165
 in taxonomists' background, 56
 technologies for, 227–239
 when to use, 224–226
auto-tagging. *See* automated indexing
Axiell, 166
- BA Insight, 246–247
back-of-the-book indexing, 199–200
BARTOC, 34–35, 177
BASIS, 40
Bayesian computations, 230
Berners-Lee, Tim, 384
BiblioTech, 40, 41
book (closed) indexing, 199–200
Boolean rules, 233
Boolean search, 312, 314
brainstorming workshops, 340, 408
breadcrumb trail, 299
British Standards Institute, 14
broader concepts, 128–133, 266–268. *See also* hierarchical relationships
broader terms (BT), 127
browsing, 23, 211, 258, 269
BT (broader term), 127. *See also* broader concepts
BTG/NTG (broader term/narrower term generic), 131
BTI/NTI (broader term instance/narrower term instance), 132

- BTP/NTP (broader term partitive/narrower term partitive), 133
- Building Enterprise Taxonomies* (Stewart), 321–322, 342
- business analysis-related skills, 70
- candidate concepts, 102, 175, 217
- Candolle, Augustin Pyrame de, 1
- capitalization of labels, 108
- card-sorting exercises, 348–349
- catalog by example, 230
- cataloging, 38–39, 196
- categories
- as collection of terms or concepts, 283–285
 - in a content management system, 30, 32–33
 - as terms or concepts, 90
- CCMS (component content management system), 160
- Cengage Learning, 39, 327
- child concepts. *See* narrower concepts
- CILIP (Chartered Institute for Library and Information Professionals), 458
- classes, ontology, 397–398
- attributes of, 399
 - designing, 407, 409
 - OWL on, 406
 - RDF-Schema on, 404–405
 - subclasses of, 399, 405
- classes as categories. *See* categories
- classification systems, 16–17, 196, 259, 264
- Cleary-Kemp, Jessica, 434
- closed (book) indexing, 199–200
- Cmap, 158
- CMSs (content management systems), 30–33, 160–162, 169, 200
- Coggle, 158
- Cognitum Services S.A., 417
- collections, 283–285, 398
- Colon Classification system, 270
- communication
- between indexers and taxonomists, 213–214
 - as skill requirement, 68–69
- component content management system (CCMS), 160
- concept details, 88
- concept schemes, 209–211, 282–283
- concept-mapping software, 158
- concepts
- for auto-categorization, 251–252
 - candidate, 102, 175, 217
 - creating, 91–92
 - defined, 87–88
 - editing, 190–191
 - evaluating inclusion of, 100–101
 - notes and attributes of, 120–123, 208–209
 - other names for, 88–89
 - precoordinated, 98–100
 - SKOS model for, 90–91
 - software display of, 190
 - sources of, 92–98
 - subordination of, 128
 - updating, 365–371
- weight assigned to, 199, 215, 232, 235, 254–255
- conceptSearching. *See* Netwrix
- conferences, 458–459
- consistency
- automated indexing and, 225–226
 - in tagging, 23, 198
 - in taxonomy, 103
- consultants, 61, 76, 445–447
- content
- for automated indexing, 224–226
 - as concept source, 92–96
 - facet design and, 271
 - as preferred label source, 105
 - in taxonomy planning, 328–329
- content audit/inventory, 93–94, 340–342
- Content Auto-tagging Manager (CAM), 241
- content management, 25, 50–51, 358–360
- content management systems (CMSs), 30–33, 160–162, 169, 200
- content survey, 94
- contractor taxonomists, 440–442
- controlled vocabularies
- definition and purpose, 4–5
 - features of, 5, 20
 - metadata and, 19–21
 - multiple, in taxonomy structure, 280–282
 - public, 106–107
 - standards (*See* ANSI/NISO Z39.19)
 - subtypes, 5–18
- Controlled Vocabulary
- discussion group, 460
 - website, 455
- Coreon, 167
- corporate employment, 72–73
- corporate taxonomies. *See* enterprise taxonomies
- cross-references, 5
- crosswalks, 180, 380
- CSV (comma-separated values) format, 155–156, 163, 173–174, 360–361
- cultural sensitivity, 103
- customized relationships. *See* semantic relationships
- DAM (digital asset management), 51–52, 452
- DAMs (digital asset management systems), 161
- Daniel, Ron, 42
- data analysis and management skills, 66
- data exchange, 360–365
- data feeds, 24
- Data Harmony, 42, 179–180, 240
- data management in taxonomist background, 56
- database (open) indexing, 198–200
- databases
- graph databases, 360, 425–426
 - management systems, 157, 167
 - skills in using, 68
 - vendors, 75
- data-centric approach, 358
- data-type properties, ontology, 397–398, 399–400, 412–414
- data.world, 417

- definition vocabularies, 4
 descriptive attributes, 122–123, 399–400
 descriptive metadata, 19–20, 25
 descriptor, 89
 design considerations
 facets, 274–277
 ontologies, 407–409
 taxonomies, 296, 306, 333–335, 352
 detail orientation, 69
 Dewey Decimal classification system, 17, 270
 DIALOG, 39
 digital asset management (DAM), 51–52, 452
 digital asset management systems (DAMs), 161
 Diltz, Margot, 327
 disambiguation, 109, 111, 122
 Discord group, 458, 461
 discovery, 24
 display
 alternative labels, 318–320
 end-user, 288, 294–295
 faceted taxonomies, 309–313
 fielded search, 309, 313–316
 hierarchical taxonomies, 296–309
 manual tagging and, 211–213
 multilingual taxonomies, 389
 semantic relationships, 147–148, 149
 software evaluation and, 189–190
 taxonomy design and, 296, 306
 term styles and levels, 317–318
 thesauri, 288–295
 document management systems, 161
 documentation
 editorial style guides, 214–215, 354, 408
 governance, 353–354
 domain in ontologies, 148, 405
 domain-specific ontologies, 400, 401
 Earley, Seth, 40, 42
 Earley Information Science, 40
 EBIC (European Business Information Conference), 43
 EBSCO, 39
 ecommerce, 74
 editorial style guides, 214–215, 354, 408
 education and training, 448–457
 electronic records management software, 166, 170–171
 employment, 71–78, 437–447
 end users. *See* users
 end-user displays, 288, 294–295
 enterprise folksonomies, 220–221
 enterprise knowledge graphs, 424
 enterprise taxonomies
 content audits for, 340–342
 development and growth of, 39–44
 stakeholders in, 339
 entities, 89, 397, 398
 entity extraction, 227–229
 equivalence relationships, 125, 126
 in mapping taxonomies, 379
 in merging taxonomies, 378
 semantic, 149–150
 ETL (extract-transform-load), 359
 EuroIA, 453
 European Business Information Conference (EBIC), 43
 European Union taxonomies, 37, 107
 Excel, 154
 exchange of data, 360–365
 expandable tree hierarchy, 299–302, 304
 expert.ai, 247–248
 export/import functions, 173–174. *See also specific software*
 extract-transform-load (ETL), 359
 faceted browse, 23, 269
 faceted search, 269, 277–279
 faceted taxonomies
 defined, 9
 displays, 309–313
 manual tagging and, 209–211
 vs. metadata, 19
 precoordination and, 99–100
 for search or browse, 28–29
 facets, 269
 designing, 274–277
 types and examples of, 270–273
 fielded search, 270, 309, 313–316
 filtering search results, 24
 FiveFilters, 95
 flat format display, 291–293
 flat lists, 6–7
 flexibility of taxonomists, 69–70
 Fluent Editor, 417–418
 fly-out subcategory display, 302–304
 folksonomies, 218–221
 foreign-language terms, 114
 foundational ontologies, 400–401
 freelance taxonomists, 442–445
 full-term hierarchy, 293–294
 Gale, 34, 39
 Gartner Group, 53
 “general” terms, 267–268, 306–307
 generic posting, 115
 generic-specific relationships, 131
 Getty Research Institute, 34, 36
 glossaries, 4
 Google Sheets, 154
 governance of taxonomies, 323, 352–355, 391. *See also* maintenance of taxonomies
 government agencies, 75–76
 government taxonomies, 37, 107
 Graef, Jean, 41
 Grafo, 417
 graph databases, 360, 425
 Graphifi Ltd, 419
 Graphite, 184, 240–241, 419
 Graphologi, 419
 Green, Jessica, 432
 Greenberg, Elizabeth, 433
 Groups.io, 460
 Gruber, Tom, 397
 guidelines. *See* standards

- Hanson, Tori, 431
 Henry Stewart (HS) Events, 452
 hidden labels, 150
 hierarchical displays, 293–294
 hierarchical relationships, 125, 128–130
 - all/some rule, 129–130, 137
 - ambiguities in, 134–136
 - for auto-categorization, 253–254
 - manual tagging and, 207
 - semantic, 148–149
 - testing for validity, 133–134
 - types of, 130–133
- hierarchical structures, 257–258
 - arrangements of, 259–261
 - vs. classification systems, 259
 - depth and breadth of, 262–263
 - models for, 263–266
 - node labels in, 268–269
 - purpose and uses, 258–259
 - use in retrieval, 266–268
- hierarchical taxonomies
 - defined, 9–10
 - displays, 296–309
 - vs. thesauri, 15–16, 288–289
- Hodge, Gail, 2
 homographs, 109, 122
 Horodyski, John, 18
 HS (Henry Stewart) Events, 452
 human indexing. *See* manual tagging
 H.W. Wilson Co., 39
- IAC (Information Architecture Conference), 453
 IBM, 39, 40, 167
 import/export functions, 173–174. *See also*
specific software
 independent contractors
 - consultants, 445–447
 - freelancers, 442–445
 indexer notes, 208–209, 212–213
 indexers, 203–205
 indexing. *See also* automated indexing; manual
tagging
 - database indexing, 198–200
 - vs. tagging, 196–197
 - tagging as, 31
 - taxonomies used in, 38–39
 - in taxonomists' background, 57–58
 Indexing Society of Canada, 457
 individual (in ontologies), 89, 398
 Information Access Co., 39
 information architecture, 54–55, 458
Information Architecture (Rosenfeld, Morville),
 271
 Information Architecture Conference (IAC), 453
 Information Architecture Institute, 219
 information extraction, 226, 227–229
 information science, 48–50, 448–451
 information technology, 55–56
 Information Today, Inc. (ITI) conferences, 453,
 459
 information vendors, 75
 InfoSphere Master Data Management, 167
- Inmagic, 40
 instances, 89, 131–132, 134, 398, 405
 Institute of Mathematics and Computer Science,
 418
 Integrated Public Sector Vocabulary (IPSV), 34,
 245
 integration
 - combining taxonomies, 371, 372–374
 - of software and content, 358–360
 Intelligent Taxonomy Manager (ITM), 182–183,
 419
 International Organization for Standardization.
See ISO entries
 International Society for Knowledge
 Organization (ISKO), 458
 interoperable formats, 360–365
 interviews in taxonomy planning, 336–339
 inversions, 110, 114–115
 IPSV (Integrated Public Sector Vocabulary), 34,
 245
 ISKO (International Society for Knowledge
 Organization), 458
 ISO 01.020, 171
 ISO 2788, 39
 ISO 15489, 166, 171
 ISO 25964
 - a.k.a. software and, 166
 - on data management, sharing, exchange,
 364–365
 - label format guidelines, 108
 - on mapping vocabularies, 383, 390
 - on relationships, 130–131, 138
 - vs. SKOS, 170
 - software compliance with, 169–170, 171, 172
 - thesauri definition, guidelines, 13–14, 39
- ITI (Information Today, Inc.) conferences, 453,
 459
 ITM (Intelligent Taxonomy Manager), 182–183,
 419
- job descriptions and skills, 64–71, 420–421
 job opportunities, 71–78, 437–447
 job titles, 78–85, 438–439
- Kasenchak, Bob, 461
 keywording, 197. *See also* tags and tagging
 keywords, indexer-created, 217–218
 Knapp, Chuck, 433
 knowledge graphs, 395, 422–426
 knowledge management (KM), 52–53
 Knowledge Management Institute (KMI), 453
 knowledge organization familiarity, 66
 knowledge organization system (KOS), 2–4, 6–7
 Koulopoulos, Tom, 43
 KWIC/KWOC, 294
- labeled property graphs (LPGs), 425–426
 labels
 - alternative (*See* alternative labels)
 - in combined taxonomies/ontologies, 411

- defined, 87–88
 - format guidelines, 107–110
 - for manual tagging, 205–207
 - node, 261, 268–269, 305–306
 - preferred, 89, 101–107
- Lambe, Patrick, 48, 53, 270, 323
- language skills, 67
- Lau, Grace, 461
- LCSH (Library of Congress Subject Headings), 12, 34, 38–39, 107, 110, 370
- Lehnert, Ahren, 58, 434
- Leise, Fred, 41
- libraries, 77
- Library of Congress
 - Name Authorities, 107
 - Subject Headings, 12, 34, 38–39, 107, 110, 370
- Thesaurus for Graphic Materials, 34, 107
- library or archive management software, 166
- library science, 48–50, 448–451
- licensed taxonomies, 33–38
- linked data in knowledge graphs, 422, 425
- linked data taxonomies, 384–385, 389
- linked open data (LOD), 384
- LinkedIn, 460
- linking taxonomies, 379–384, 389–390
- Linnaean taxonomy, 1, 317
- Linnaeus, Carl, 1
- Lippell, Helen, 433
- literals, 405
- LOD (linked open data), 384
- LPGs (labeled property graphs), 425–426
- Lucidea Corp., 40
- Luhn, Peter, 39

- machine-learning systems, 230–233, 236–239
- Magellan Text Mining, 249–250
- maintenance of taxonomies, 355, 366–370, 391.
 - See also* governance of taxonomies
- MAMs (media asset management systems), 161
- Manchester syntax, 406
- manual tagging
 - vs. cataloging, classifying, indexing, 195–197
 - concept labels for, 205–207
 - creating taxonomies for, 254–255
 - defined, 197
 - relationships in, 207–208
 - taxonomy display and access for, 211–213
 - taxonomy structure and, 209–211
 - taxonomy updates and, 213–214, 216
 - testing, 350–351
 - those who perform, 202–204
 - training and documentation for, 203, 214–216
 - using a taxonomy, 198–200
 - vocabulary management and, 216–218
 - when to use, 200–202
- mapping relationships, 125, 126, 371–372
- mapping taxonomies, 379–384, 389–390
- Marcus, Mollee, 55
- MarkLogic, 183, 420

- Master of Library and Information Science (M.L.I.S.), 448–451
- matching relationships, 125, 126, 371–372
- Maze, 348
- media asset management systems (MAMs), 161
- media industry, 74–75
- Medical Subject Headings (MeSH), 37
- Meetup groups, 459
- membership organizations, 76
- merging taxonomies, 367, 374–379, 381
- MeSH (Medical Subject Headings), 34, 37
- metadata, 18–22, 25, 66, 379–380, 408–409
- Metaphactory, 419
- Metaphacts, 419
- Microsoft software
 - Access, 157
 - SharePoint, 162–165
 - Viva, 165–166
- MindManager, 158
- mind-mapping software, 157–159
- M.L.I.S. (Master of Library and Information Science), 448–451
- Mondeca, S.A.
 - Content Auto-tagging Manager (CAM), 241
 - Intelligent Taxonomy Manager, 182–183, 419
- Montague Institute, 43
- Morante, Marcia, 43
- Morville, Peter, 271
- Moulton, Lynda, 40, 42–43
- multilingual taxonomies, 385–391
- multimedia content, 201
- MultiTes, 41, 175, 178
- museums, 77

- name authorities, 8–9, 107
- namespaces, 411
- narrower concepts, 115–116, 128–130. *See also* hierarchical relationships
- narrower terms (NT), 127
- National Information Standards Organization (NISO), 19, 365. *See also* ANSI/NISO Z39.19
 - natural language processing (NLP), 56, 95, 227, 388
- navigational taxonomies, 25
- near synonyms (quasi-synonyms), 104–105, 112–113
- nested categories, 258
- NetOwl, 228
- Networked Knowledge Organization Systems Working Group, 2
- networking opportunities, 457–461
- Netwrix, 248–249
- neural networks, 230
- NISO (National Information Standards Organization), 19, 365. *See also* ANSI/NISO Z39.19
 - NLP (natural language processing), 56, 95, 227, 388
- node labels, 261, 268–269, 305–306
- nodes, 89

- nonpreferred terms (NPT), 14, 111. *See also*
 alternative labels
 nonprofit organizations, 76
 nonrecursive retrieval, 267. *See also* recursive
 retrieval
 NT (narrower term), 127. *See also* narrower
 concepts
- object properties, ontology, 399, 412–414
 objects, 89
 one-level-per-screen display, 297–299, 304
 online discussion groups, 459–461
 online services, 73
 ontologies
 combined with taxonomies, 409–412
 defined, 13
 design approaches, 407–409
 example of basic model, 398
 examples of published, 401
 features of, 397–400
 guidelines, standards, languages, 402–406
 management software, 159–160, 415–420
 metadata and, 21
 property type determination, 412–414
 purposes of, 393–395
 relationships in, 126, 148, 149
 standards for, 402–406
 taxonomy comparison, 395–397
 taxonomy/ontology management software,
 180–185, 191, 410–411, 418–420
 term origin and use, 395–396
 types of, 400–402
 ontologists, 420–421
 open (database) indexing, 198–199
 open source or free software, 185–187, 416–418
 OpenText, 40
 OpenText Magellan, 249–250
 OptimalSort, 348
 Oracle, 157, 167
Organising Knowledge (Lambe), 270, 323
 orphan concepts, 126–127, 172
 “other” terms, 267–268
 OWL (Web Ontology Language), 180, 192, 396,
 402, 405–406
 OWL Reasoner, 417
 OwlGrEd, 418
- parent concepts. *See* broader concepts
 permuted indexes, 294
 personalization systems, 25–26
 photography keyword lists, 35–36
 phrase inversions, 110, 114–115
 pick lists, 6–7
 pilot projects, 188–189
 planning taxonomy projects
 content in, 328–329
 current taxonomy status and, 326–327
 design plan, 333–334, 352
 editor concerns, 332–333
 project management concerns, 331–332
 project needs, 325
- questions for stakeholders, 324–325
 research for, 335–344
 resources and constraints, 330–331
 software considerations, 330
 steps in, 322–323
 tagging issues in, 329–330
 taxonomists in, 334–335
 taxonomy purpose in, 326
 taxonomy scope in, 329
 user considerations, 327–328
- POC (proof-of-concept) evaluation, 188–189
 political correctness, 103
 polyhierarchies, 136–137
 classification systems and, 264
 creating, 137
 hierarchy design and, 259, 261
 PoolParty, 183, 242, 419–420
 postcoordination, 99, 252
 post-search refinements, 30
 precoordination, 98–100, 251–252
 preferred labels
 choosing, 101–105
 other names for, 89
 sources for, 105–107
 professional associations, 451–455, 457–458
 proof-of-concept (POC) evaluation, 188–189
 properties in ontologies, 404
 data type (attributes), 397–398, 399–400,
 412–414
 determining types of, 412–414
 object (relations), 399, 412–414
 in OWL, 406
 properties in SKOS, 91
 ProQuest, 39
 Protégé, 159–160, 415–416
 publishers, 74–75
- qualifiers in labels, 109–110
 quality control of taxonomies, 213–218
 quasi-synonyms (near synonyms), 104–105,
 112–113
- Ranganathan, S.R., 270
 range in ontologies, 147, 148, 405
 RDF (Resource Description Framework), 170,
 173, 363–364, 402–404
 RDFS (RDF-Schema), 402, 404–405
 RDF triple store databases, 425–426
 RDF/XML, 173–174
 Reamy, Tom, 237
 recommendation systems, 25–26
 records management software, 166, 170–171
 recursive retrieval, 130, 258, 261, 266–267,
 306–307
 regular expressions (regex), 235, 236
 related concepts, 125, 126, 127–128. *See also*
 associative relationships
 related terms (RT), 126, 127
 relationships. *See also* specific types
 abbreviations for, 127–128
 for auto-categorization, 253–254

- in combined taxonomies/ontologies, 411
- editing, 171, 190–191
- in ontologies, 399, 412–414
- taxonomy management software and, 171
- in thesauri, 15
- types and characteristics of, 125–127
- relevance ranking, 199, 215, 232, 235, 254–255
- remote work, 439, 446–447
- report generation, 174
- research for taxonomy creation, 335–336
 - brainstorming workshops, 340, 408
 - content audits, 340–342
 - interviews, 336–339
 - search logs, 343–344
- research institutions, 77
- research skills, 67
- Resource Description Framework (RDF), 170, 173, 363–364, 402–404
- resources
 - taxonomy information, 455–457
 - taxonomy management software, 176–177
 - taxonomy planning and, 330–331
- retailers, 74
- retrieval
 - hierarchical structures in, 266–268
 - recursive, 130, 258, 261, 266–267, 306–307
 - testing, 351
- retrieval taxonomy, 380–384, 389–390
- revisions to taxonomies, 370–371
- Riecks, David, 455
- Roget's Thesaurus*, 119–120
- rolled up retrieval, 130, 258, 261, 266–267, 306–307
- Rosenfeld, Louis, 271
- rotated indexes, 294
- RT (related term), 127. *See also* associative relationships
- rules-based systems, 233–239

- SAS Institute
 - Ontology Management, 167
 - Visual Text Analytics, 250
- Schweizer, Chantal, 59, 431
- scope notes (SN), 120–122
 - auto-categorization and, 252
 - indexer use of, 208, 212–213
 - as software feature, 171
 - updating taxonomies and, 367
- search engines, 7, 22, 26, 41
- search function
 - alternative labels support of, 117–119
 - faceted, 28–29
 - ontology support of, 394
 - refinements, 30
 - search on taxonomy concepts, 27–28, 211
 - synonym ring support of, 7–8
 - taxonomies support of, 23–24, 26–30
 - taxonomy software capability, 172–173
- search logs, 343–344
- search skills, 67–68
- search suggest, 28
- search thesaurus, 7–8

- second-level indexing, 252
- See/See also references, 5, 138
- self-training, 455–457
- semantic clustering, 229–230, 238
- semantic relationships, 125, 126, 144
 - associative, 146–148
 - creating, 144–146
 - equivalence, 149–150
 - hierarchical, 148–149
 - as ontology characteristic, 395
 - RDF triples for, 403
 - taxonomy software support for, 173, 191
- semantic rules, 233
- Semantic Web, 127, 145, 384, 402, 419
- Semantic Web Co., 183, 242, 419, 454
- SEMANTiCS conference, 454
- Semaphore, 183–184, 242–243, 420
- serializations, RDF, 403
- SharePoint, 162–165
- shortcut alternative labels, 206–207
- sibling concepts, 130, 139, 141–142
- Simple Knowledge Organization System. *See* SKOS
- sitemap models, 265–266
- skills and abilities of taxonomists, 66–71
- SKOS (Simple Knowledge Organization System), 90–91
 - vs. ANSI/NISO or ISO, 170
 - attributes in, 123
 - concept schemes in, 282–283, 398–399
 - as interoperable format, 363–364
 - mapping relationships in, 381
 - multilingual vocabulary support, 388
 - relationship expression, 127, 129, 138
 - as standard, 170, 175–176
 - synonyms in, 14
 - tools for editing, 177
- SKOS-based taxonomy software, 174, 180–185, 192
- SKOS-XL, 125, 150
- SLA (Special Libraries Association), 454, 458
- smart search, 118–119
- Smartlogic Semaphore, 183–184, 242–243, 420
- social media, 73
- social tagging, 218–221
- Society of Indexers, 457
- software
 - for auto-categorization, 176, 239–250
 - card-sorting, 348–349
 - content integration, 358–360
 - content management systems, 30–33, 160–162, 169
 - database management, 157, 167
 - mind-mapping, 157–159
 - records management, 166, 170–171
 - SharePoint, 162–165
 - spreadsheet, 153–157
 - with taxonomy capabilities, 166–167, 244–250
 - terminology management, 167, 171
 - text extraction, 95–96
 - text mining, 249–250
 - tree-testing, 349

- software, taxonomy management
 with auto-categorization features, 239–244
 benefits of, 168–171
 characteristics of, 171–175
 editing features checklist, 191–192
 evaluation and purchase of, 187–192
 evolution of, 151
 free and open source, 185–187
 history of, 41, 151
 multilingual taxonomy management,
 387–389
 ontology support in, 180–185, 191, 410–411,
 418–420
 resources, 176–177
 standards compliance, 169–171
 thesaurus-based, 177–180
 trends in, 192–193
 types overview, 152–153
 vendors, 78, 175–176, 182–185
- sort order options, 308–309
 sorting results, 24
 source notes, 122
 Soutron Global, 166
 SPARQL, 403
 Special Libraries Association (SLA), 454, 458
 Speckhard, Irina, 433
 spreadsheets, 153–157, 408–409
 staffing firms, 441
 stakeholders. *See also* users
 concept suggestions from, 96–98
 in ontology design, 407
 preferred label suggestions from, 105
 as taxonomist challenge, 434–435
 taxonomist work enjoyment and, 433
 in taxonomy planning and design, 324–325,
 329, 330, 336–340
- standards
 controlled vocabulary (*See* ANSI/NISO
 Z39.19)
 ontology, 402–406
 SKOS, 170, 175–176 (*See also* SKOS)
 software compliance with, 169–171, 172
 thesaurus (*See* ANSI/NISO Z39.19; ISO
 25964)
- Stanford Center for Biomedical Informatics
 Research, 415
 statistical clustering, 229–230, 238
 statistical method, auto-categorization, 230
 Stellato, Armando, 187
 Stewart, Darin, 321–322, 342
 structural metadata, 19
 structured content, 225
 structured indexing, 252
 structures of taxonomies
 collections (categories), 283–285
 concept schemes, 282–283
 facets, 269–279
 hierarchies, 257–269
 multiple vocabularies, 280–282
 tagging interface and, 209–213
- style guides, 214–215, 354, 408
 subclasses, 399, 405
 subject areas, 90
- subject descriptors, 89
 subject headings
 defined, 11–12
 LCSH, 12, 34, 38–39, 107, 110, 370
 subject-matter experts, 58–59, 70, 97, 105, 154
 subjects, 90
 subordinate concepts, 128
 subvocabularies, 209–211
 support vector machines, 230
 survey, taxonomist, 43–44, 47–48, 463–472
 symmetrical relationships, 127
 Synaptica LLC
 Graphite, 184, 240–241, 419
 in history of taxonomies, 41–42, 43
 KMS software, 179
 Taxonomy Warehouse, 177, 455
 synonym rings, 7–8, 88
 synonyms, 5, 102–105, 111, 112–113. *See also*
 alternative labels
- table of contents models, 264–265
 tagging taxonomy, 380–384, 389–390
 tags and tagging, 30–32. *See also* automated
 indexing; manual tagging
 in taxonomists' background, 57–58
 in taxonomists' tasks, 63
 in taxonomy planning, 329–330
 taxonomy role in, 23
 updating taxonomies and, 367–368
- TaxoBank, 177, 455
 taxonomies
 automated generation of, 238–239
 building, 344–346 (*See also* concepts; labels;
 relationships; software; structures of
 taxonomies)
 in cataloging and indexing, 38–44
 categories and, 32, 90
 combined with ontologies, 409–412
 combining or linking, 371–385
 data exchange and interoperability, 358–365
 defined, 1–4, 9
 design considerations, 296, 306, 333–334,
 352
 development phases, 321–322
 enterprise (*See* enterprise taxonomies)
 evaluating, 346–350
 faceted (*See* faceted taxonomies)
 governance of, 323, 352–355, 391
 hierarchical (*See* hierarchical taxonomies)
 history of, 38–44
 for license, 33–38
 metadata and, 18–22, 25
 multilingual, 385–391
 ontology comparison, 395–397
 owners or sponsors of, 96–97, 105–106
 planning, 322–335
 public, 106–107
 purposes of, 22
 quality control, 213–218
 research for creating, 335–344
 search and, 22, 26–30
 software (*See* software)

- tagging with (*See* automated indexing; manual tagging)
- term origin and use, 1–2, 42, 395–396
- types of, 4–18
- updating, 213–214, 365–371
 - usability testing, 63, 261, 350–351
 - uses of, 23–26
 - vocabulary management, 216–218
- Taxonomies & Controlled Vocabularies Special Interest Group, 457
- taxonomists
- accidental, 59–61
 - backgrounds of, 48–61
 - challenges faced, 434–437
 - as concept sources, 97–98
 - as consultants, 67, 76, 445–447
 - as contractors, 440–442
 - education and training of, 448–457
 - employment settings, 71–78, 437–440
 - freelance, 442–445
 - job descriptions, 64–66
 - job titles, 78–85
 - nature of work, 429–430
 - networking opportunities, 457–461
 - skills required, 66–71
 - surveys of, 43–44, 47–48, 463–472
 - tasks and related duties, 61–63
 - taxonomy planning and, 334–335
 - variation in, 47
 - work enjoyment, 430–434
- Taxonomy Boot Camp, 453, 459
- Taxonomy Community of Practice, 460
- Taxonomy Community of SLA, 458
- taxonomy management software. *See* software, taxonomy management
- Taxonomy Talk, 461
- taxonomy vendors, 78
- Taxonomy Warehouse, 177, 455
- taxons, 89
- Taylor, Bonnie, 57, 431
- Taylor, Mike, 362
- TechLib, 40, 41
- technical skills, 68
- TemaTres, 175, 186
- term details, 88
- term lists, 6–7
- term notes, 120–122, 208–209
- term records, 88
- terminology management systems, 167, 171
- terms, 87–88. *See also* alternative labels; labels; preferred labels
- testing
- by A-B testing, 349–350
 - associative relationships, 143
 - by card sorting, 348–349
 - by corpus analysis, 347
 - facet design, 277
 - hierarchical relationships, 133–134
 - machine-learning systems, 232–233
 - taxonomy usability, 63, 261, 350–351
 - by tree testing, 349
- text analytics, 95, 224, 239, 250, 347
- text corpus analysis, 347
- text extraction software, 95–96
- text mining software, 249–250
- TheBrain, 158
- thesauri
- abbreviations in, 127–128
 - attributes, 399
 - defined, 10–11, 13–14
 - display options, 288–295
 - examples of, 16
 - vs. hierarchical taxonomies, 15–16, 288–289
 - history of, 39
 - management software, 177–180
 - public, 107
 - relationships in, 15, 125–127, 148–149, 399
 - Roger's*, 119–120
 - standards (*See* ANSI/NISO Z39.19; ISO 25964)
- Thesauri and Interoperability With Other Vocabularies.* *See* ISO 25964
- Thesaurus Master (Data Harmony), 42, 179–180
- things vs. strings, 87
- top term (TT), 293
- topics, 90
- TopQuadrant
- TopBraid Composer, 160, 417, 420
 - TopBraid Enterprise Data Governance (EDG), 184–185, 243–244, 420
- training
- indexers (taggers), 203, 215–216
 - machine-learning systems, 231–233
 - taxonomists, 448–457
- translations, 389, 390–391
- tree structures. *See* hierarchical structures
- tree-testing software, 349
- triple store graph databases, 425–426
- triples, RDF, 403, 404–405, 406, 411
- tuning of machine learning, 233, 236–237
- unapproved concepts, 217
- UNESCO, 39
- United Nations thesauri, 107
- unstructured content, 225, 226, 227
- updates to taxonomies, 213–214, 365–371. *See also* maintenance of taxonomies
- upper ontologies, 400–401
- upward posting, 115, 381
- usability testing, 63, 261, 350–351
- USDA National Agricultural Library Thesaurus, 34
- user experience design, 54–55
- user interface. *See* display
- Userlytics, 348
- users. *See also* stakeholders
- attention to needs of, 69
 - as concept sources, 97
 - hierarchy design and, 260–261, 263
 - ontology design and, 407
 - preferred labels and, 102–103, 106
 - taxonomy planning and, 327–328, 336–339
 - types and display needs, 287–288, 294–295
- UserZoom, 348
- USE/UF (use/used for), 5, 127

- validation, taxonomy, 63, 261, 350–351
van Aalten, Joyce, 61, 434
Vander Wal, Thomas, 218
variant spellings, 114
variants. *See* synonyms
visualizations, 25
Viva Topics, 165–166
vocabularies. *See* controlled vocabularies
vocabulary management, 216–218
VocBench, 175, 187, 420
VOWL, 418
- WAND Inc., 34, 42, 245
W3C (World Wide Web Consortium). *See also* *specific standards or recommendations*
Web Ontology Language (OWL), 180, 396, 402, 405–406
web taxonomies, 40–44
weighting of tagged concepts, 199, 215, 232, 235, 254–255
whole-part relationship, 132–133, 134–135
Will, Leonard D., 177
wording of labels, 102–103, 108–109
- Wordmap, 42
wordsets, 89
workshops
 brainstorming, 340, 408
 taxonomy training, 451–455
World Wide Web Consortium (W3C). *See also* *specific standards or recommendations*
 OWL and, 405
 RDF and, 363, 402
 RDF-Schema and, 404
 SKOS and, 90, 91, 169
 SKOS-XL and, 150
- SPARQL and, 403
- XMind, 158
XML, 173, 361–362
- Yancey, Trish, 41
- Zthes, 362–363